Supercharge processor-intensive workloads.



Harness the incredible CPU performance of the Z8 AI workstation. With its dual-socket design, accelerate intensive multi-threaded workflows, across AI and machine learning model training, real-time ray tracing, and 3D visualization & simulation, with plenty of room to expand as demands change.

#### Supercharge processor-intensive workloads.

Harness incredible CPU performance with the Z8 Al workstation and its dual-socket design. Accelerate Al and machine learning model training, real-time ray tracing, and 3D visualization & simulation, with plenty of room to expand as demands change. Harness the incredible CPU performance of the Z8 Al workstation. With its dual-socket design, accelerate intensive multi-threaded workflows, across Al and machine learning model training, real-time ray tracing, and 3D visualization & simulation, with plenty of room to expand as demands change.

#### Exceptional performance. Extraordinary expandability.

Tackle processor-intensive workflows with up to 64 cores<sup>1</sup> across 2 Intel® Xeon® W CPUs, 2 high-end GPUs<sup>2</sup>, and 1 TB DDR5 RAM<sup>3</sup>. Easily expand as work evolves with tool-less access, 7 PCle slots, and 2 front accessible NVMe bays.<sup>3</sup>

#### Engineered to stay cool and quiet.

Push your desktop workstation without disruptive noise. Smart fan control keeps the system whisper-quiet by tuning fan speeds in real-time using over 20 temperature sensors. Precisely placed vents and ducts streamline airflow and heat removal.

#### Ignite AI innovation.

Accelerate AI development and inferencing with the Z8 AI workstation, with up to 2 NVIDIA RTX™ 6000 Ada Generation GPUs<sup>4</sup> delivering up to 2,914 AI TOPS for advanced AI. Process proprietary data securely on a local workstation to gain insights faster.

#### Designed with the planet in mind

At HP, we care about the impact our products have on our people, communities, and planet. That's why the Z8 contains 40% recycled plastics, 10% recycled metal, 100% sustainably sourced outer box packaging, and is EPEAT® Gold Climate+ registered 6.7







#### **Operating Systems**

Support your unique user needs with a choice of Windows 11 Pro, WSL2 or Linux® operating systems.8

#### Intel® Xeon® Processors

Power demanding professional workloads with more CPU performance than ever before—up to 64 cores<sup>9</sup> with 2 next-gen Intel® Xeon® CPUs—and professional grade security<sup>10</sup> and reliability<sup>11</sup>.

#### **Professional Grade Graphics**

Tackle processor-heavy rendering, machine learning, and data visualization projects with up to 2 NVIDIA RTX™ 6000 or 2 AMD Radeon™ Pro W6800 GPUs.¹²

#### **Ultra Fast Memory Configurations**

Power through memory-intensive workloads with up to 1 TB DDR5 memory<sup>13</sup> for fast CPU-dependent rendering, model training and development, and data visualization performance.

#### **Storage**

Get up to 130TB of storage across a variety of devices, including two front accessible, hot-swappable NVMe devices with status information via external LED and email notifications.<sup>14</sup>

#### **Word Class Design & Acoustics**

Keep quiet, cool and focused even at peak performance. Smart fan control keeps the system whisper-quiet by tuning fan speeds in real-time using over 20 temperature sensors.

#### **Fast Data Transfer and Network Connectivity**

Thunderbolt<sup>™</sup> 4 technology<sup>15</sup> for fast data transfers, and two ports of lightning-quick 10 GbE network connection at a lower cost than standard PCIe add-in cards.

#### **HP Anyware**

Access the power of your Z from any device with HP Anyware 16—remote access software delivering fast responsiveness and image quality, even in film editing and data visualizations.

#### **Smart Support with HP TechPulse**

Get enhanced support and reduce downtime. HP Smart Support provides support agents, secure access to device health insights, and configuration data for faster troubleshooting.<sup>17</sup>

#### Z by HP Data Science Stack Manager

Z by HP Data Science Stack Manager provides easy access to popular data science tools and updates them automatically, to help you customize your environment on Windows or Ubuntu.<sup>18</sup>

#### **ISV Certified**

Work with confidence knowing your desktop is certified with leading software applications to ensure peak performance even with complex projects.

#### **HP Wolf Security for Business**

Get a hardware-enforced, always-on defense. From the BIOS to the browser - above, in, and below the OS - these constantly evolving solutions help protect from modern threats.<sup>19</sup> Now with factory-enabled RAID for data protection.

#### **Specifications Table**

Available Operating Systems	Windows 11 Pro for Workstations <sup>2,3</sup> Ubuntu 22.04 LTS Linux® Ready <sup>5</sup> Red Hat® Enterprise Linux® <sup>5</sup>
Processor family	Intel® Xeon® Scalable processor
Available Processors <sup>6,7,30</sup>	Intel® Xeon® Gold 6448Y (2.1 GHz base frequency, up to 4.1 GHz with Intel® Turbo Boost Technology, 60 MB L3 cache, 32 cores, 64 threads) Intel® Xeon® Gold 6444Y (3.6 GHz base frequency, up to 4.1 GHz with Intel® Turbo Boost Technology, 45 MB L3 cache, 16 cores, 32 threads) Intel® Xeon® Gold 6438Y (2.6 GHz base frequency, up to 4.0 GHz with Intel® Turbo Boost Technology, 60 MB L3 cache, 24 cores, 48 threads) Intel® Xeon® Gold 6438Y (2.0 GHz base frequency, up to 4.0 GHz with Intel® Turbo Boost Technology, 60 MB L3 cache, 32 cores, 64 threads) Intel® Xeon® Gold 6438 (3.7 GHz base frequency, up to 4.1 GHz with Intel® Turbo Boost Technology, 22.5 MB L3 cache, 8 cores, 16 threads) Intel® Xeon® Gold 6430 (2.1 GHz base frequency, up to 4.1 GHz with Intel® Turbo Boost Technology, 72.5 MB L3 cache, 8 cores, 64 threads) Intel® Xeon® Gold 6426Y (2.5 GHz base frequency, up to 4.1 GHz with Intel® Turbo Boost Technology, 75.5 MB L3 cache, 16 cores, 32 threads) Intel® Xeon® Gold 6426Y (2.5 GHz base frequency, up to 4.1 GHz with Intel® Turbo Boost Technology, 75.5 MB L3 cache, 28 cores, 56 threads) Intel® Xeon® Gold 5419Y (2.0 GHz base frequency, up to 4.1 GHz with Intel® Turbo Boost Technology, 52.5 MB L3 cache, 24 cores, 48 threads) Intel® Xeon® Gold 5419Y (2.0 GHz base frequency, up to 4.1 GHz with Intel® Turbo Boost Technology, 45 MB L3 cache, 24 cores, 48 threads) Intel® Xeon® Gold 5419Y (2.0 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 37.5 MB L3 cache, 20 cores, 40 threads) Intel® Xeon® Gold 5520+ (2.2 GHz base frequency, up to 4.0 GHz with Intel® Turbo Boost Technology, 37.5 MB L3 cache, 12 cores, 24 threads) Intel® Xeon® Gold 6520+ (2.2 GHz base frequency, up to 4.0 GHz with Intel® Turbo Boost Technology, 37.5 MB L3 cache, 12 cores, 56 threads) Intel® Xeon® Gold 6520+ (2.2 GHz base frequency, up to 4.1 GHz with Intel® Turbo Boost Technology, 30 MB L3 cache, 12 cores, 56 threads) Intel® Xeon® Gold 6520+ (2.2 GHz base frequency, up to 4.1 GHz with Intel® Turbo Boost Technology, 60 MB L3 cache, 3
Chipset	Intel® C741
Form factor	Tower
Maximum memory	1 TB DDR5-4800 ECC SDRAM <sup>11</sup> Transfer rates up to 4800 MT/s.
Memory slots	16 DIMM (with dual processors)
Internal storage	1 TB up to 12 TB 7200 rpm SATA Enterprise HDD <sup>8,40</sup> 512 GB up to 2 TB HP Z Turbo Drive NVMe™ M.2 SSD <sup>8</sup> 512 GB up to 4 TB HP Z Turbo Drive PCle® SSD M.2 <sup>8</sup> 512 GB up to 4 TB HP Z Turbo Drive PCle® SSD M.2 <sup>8</sup> 512 GB up to 4 TB HP Z Turbo Drive PCle® SED Opal 2 M.2 SSD <sup>8</sup> 512 GB up to 4 TB HP Z Turbo Drive Dual Pro PCle® SSD <sup>8</sup> 512 GB up to 4 TB HP Z Turbo Drive PCle® SSD <sup>5,41</sup>
Optical drive	HP Slim DVD-ROM; HP Slim Blu-ray Writer; HP Slim DVD-Writer <sup>9,10</sup>
Available Graphics	Ultra High-End: NVIDIA RTX™ 6000 Ada Generation (48 GB GDDR6 dedicated) NVIDIA RTX™ A6000 (48 GB GDDR6 dedicated) NVIDIA RTX™ A5000 (24 GB GDDR6 dedicated) NVIDIA RTX™ A5000 (24 GB GDDR6 dedicated) AMD Radeon™ Pro W7900 (48 GB GDDR6 dedicated) AMD Radeon™ Pro W6800 (32 GB GDDR6 dedicated) AMD Radeon™ Pro W6800 (32 GB GDDR6 dedicated) High-End: NVIDIA RTX™ 4500 Ada Generation (24 GB GDDR6 dedicated) NVIDIA RTX™ 44500 (20 GB GDDR6 dedicated) NVIDIA RTX™ 44500 (20 GB GDDR6 dedicated) NVIDIA RTX™ 44000 (16 GB GDDR6 dedicated) NVIDIA RTX™ 4000 (16 GB GDDR6 dedicated) NVIDIA RTX™ 4000 Ada Generation (16 GB GDDR6 dedicated) NVIDIA RTX™ 4000 Ada Generation (16 GB GDDR6 dedicated) NVIDIA RTX™ 4000 Ada Generation (16 GB GDDR6 dedicated) NVIDIA RTX™ 4000 (12 GB GDDR6 dedicated) NVIDIA RTX™ 7000 (12 GB GDDR6 dedicated) NVIDIA® T1000 (8 GB GDDR6 dedicated) AMD Radeon™ Pro W6600 (8 GB GDDR6 dedicated) AMD Radeon™ Pro W6600 (8 GB GDDR6 dedicated) AMD Radeon™ Pro W7600 (8 GB GDDR6 dedicated) AMD Radeon™ RX 6400 (4 GB GDDR6 dedicated)
Audio	Realtek ALC3205-CG
Expansion slots	1 PCIe 3 x16; 1 PCIe 3 x8; 2 PCIe 3 x4; 1 PCIe 5 x16; 2 PCIe 4 x16; 2 PCIe 4 x8 (Rear bulkhead access can be achieved through all slots but 2 PCIe 4 x8 are internal access only for M.2 (1 PCIe 4 x16 available when 2nd CPU is not installed; 1 PCIe 3 x16 available only when 2nd CPU is installed).)
Memory card device	1 SD card reader (optional)
Ports and connectors	Front: 4 SuperSpeed USB Type-A 5Gbps signaling rate; 1 headphone/microphone combo <sup>31</sup> ; Rear: 6 SuperSpeed USB Type-A 5Gbps signaling rate; 1 audio-in/out; 2 RJ-45 (1 GbE AMT, 1GbE, optional 10GbE); Optional Ports: 2 Thunderbott™ 4 with USB Type-C® 40Gbps signaling rate (USB Power Delivery, DisplayPort™ 1.4)

#### **Specifications Table**

Keyboard	HP USB Business Slim SmartCard CCID Keyboard; HP USB 320K Keyboard; HP 125 Black Wired Keyboard <sup>13</sup>
Mouse	HP wired desktop 128 laser mouse; HP Wired 320M Mouse <sup>13</sup>
Communications	LAN: Intel® Ethernet Network Adapter I225-T1; Integrated Intel® I219-LM PCIe® GbE, vPro®; Integrated Intel® I210-AT PCIe® GbE, non-vPro®; HP dual-port 10GBase-T NIC; Intel® X550-T2 dual-port GbE NIC; Intel® Wi-Fi GE AX210 (2x2) and Bluetooth® 5.3 wireless card, non-vPro® with external antenna;
Drive Bays	External: Two 9.5 mm ODD; Internal: Six PCIe® M.2 SSD; Six 3.5" HDD
Software	HP PC Hardware Diagnostics UEFI HP Performance Advisor HP Support Assistant HP PC Hardware Diagnostics Windows HP Image Assistant HP Manageability Integration Kit HP Anyware HP Services Scan HP Data Science Stack Manager <sup>17,18,19,37</sup>
Security management	Full volume encryption; HP Secure Erase; Kensington lock slot; Secure authentication; TPM 2.0 certified; HP BIOSphere; HP Sure Run; HP Sure Click; HP Sure Sense; HF Sure Admin; HP Platform Certificate; HP Sure Start; HP Sure Recover; Self-Encrypted Drives <sup>20,21,22,23,24,25,26,27</sup>
Security Software Licenses	HP Wolf Pro Security Edition <sup>28</sup>
Management features	HP Driver Packs; HP System Software Manager (download); HP BIOS Configuration Utility (download); HP Smart Support
Power	1700 W internal power supply, up to 90% efficiency, active PFC; 1450 W internal power supply, up to 90% efficiency, active PFC; 1125 W internal power supply, up to 90% efficiency, active PFC; 1450 W internal power supply, up to 90% efficiency, active PFC; 1450 W internal power supply, up to 90% efficiency, active PFC; 1125 W internal power supply, up to 90% efficiency, active PFC
Dimensions	8.5 x 21.7 x 17.5 in; 21.59 x 55.12 x 44.45 cm; 13.07 x 28.90 x 25.04 in; 33.2 x 73.4 x 63.6 cm (Package)
Weight	Starting at 49.6 lb; Starting at 22.5 kg; Starting at 61.56 lb; Starting at 27.95 kg (Package) ; (Exact weights depend upon configuration (System weight only))
Ecolabels	EPEAT® registered configurations available; TCO Certified configurations available <sup>14,15</sup>
Energy star certified	ENERGY STAR® certified (configurations available)
Sustainable impact specifications	Low Halogen; 40% post-consumer recycled plastic; 25% ITE-derived closed loop plastic; Bulk packaging available; External power supply 90% efficiency; Plastic cushion inserts contain 80% recycled content; Ocean-bound plastic in system fan; 10% post-industrial recycled metal; Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable 16.33,34,35,36
Compatible displays	All HP Z Displays and HP DreamColor Displays are supported. For more information see http://www.hp.com/qo/zdisplays

#### **Messaging Footnotes**

<sup>1</sup> 64 cores is enabled through installation of two CPUs. Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance

- Graphics are sold separately or as an optional feature.
- Optional, configurable features
- Graphics are sold separately or as an optional feature.
- Sphiles to HP PCs, Workstations, and Displays manufactured after January 2019. Based on most Gold and Silver (including Climate+) EPEAT® registrations. Status varies by country. Visit www.epeat.net for more information.
  Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 EPEAT standard.
  Based on US EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. Status varies by country. Visit www.epeat.net for more

Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows is automatically updated and enabled. High speed internet and Microsoft account required. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com

9 64 cores is enabled through installation of two CPUs. Multicore is designed to improve performance of certain software products. Not all

<sup>9</sup> 64 cores is enabled through installation of two CPUs. Multicore is designed to improve performance of certain software products. Not customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.
10 Professional grade security is enabled with Intel vPro®2 Enterprise technologies. Intel vPro® Enterprise technologies are available only on Intel® Xeon® W-3500 and Intel® Xeon® W-2500 processors. Intel vPro® requires Windows 10 Pro 64 bit or higher, a vPro supported processor, vPro enabled chipset, vPro enabled wired LAN and/or Wi-Fi 6E WI.AN and TPM 2.0. Some functionality requires additional 3rd party software in order to run. Features of vPro® Essentials and Enterprise vary. See http://intel.com/vpro

Error Correction Code (ECC) Memory enables enhanced data reliability. ECC memory is only available on Intel® Xeon® processor

- options. 
  <sup>12</sup> Graphics are sold separately or as an optional feature

<sup>14</sup> Graphics are sold separately or as an optional feature.
<sup>13</sup> Up to 1 TB DDRS memory is an optional, configureable feature.
<sup>14</sup> Configuration for 130TB requires after-market purchase. Two front accessible NVMe bays require a 5.25 bay carrier. For storage drives, GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 35GB is reserved for system recovery softwist Thunderbolt™ 4 technology and two ports of 10 GE network connection are planned to be available in the second half of 2023.
SuperSpeed USB 20Gbps is not available with Thunderbolt™ 4.

Super-Speed USB 20Gbps is not available with Thunderbolt\*\* 4.

18 Network access required. HP Anyware software and licensing are available through a 1- or 3-year subscription. Renewal is required after the subscription term. HP Anyware subscriptions are based on the number of concurrent PCoIP connections used (pay for the number of host connections, not the software) with a minimum order quantity of 5. For a limited time, an HP Anyware Professional subscription also includes access and support for ZCentral Remote Boost and ZCentral Connect and is available for purchase through an HP reseller or contact sales at hp.com/Anyware. ZCentral Remote Boost Sender requires Windows 10 and 11, RHEL/CentOS (7 or 8), or URDIVI 18.04 or 20.04 LTS operating systems. Among System and ThinPro 7.2 are only supported on the receiver side. Zcentral Connect requires Windows (10 or 11) or Windows Server (2016 or 20.19) operating system, Microsoft Active Directory and Intel Active Management Technology for select features. For system requirements and to install HP Anyware and Anyware Management for the Admin Girldes at htms: (Videos seradic confining/ord/ord/Info/men/ware).

Manager, refer to the Admin Guides at: https://docs.teradici.com/find/product/hp-anyware.

17 HP Smart Support automatically collects the telemetry necessary upon initial boot of the product to deliver device-level configuration data and health insights and is available preinstalled on select products, or it can be downloaded. For more information about how to

data and health insights and is available preinstalled on select products, or it can be downloaded. For more information about how to enable HP Smart Support or to download, please visit http://www.hp.com/smart-support.

18 Z by HP Data Science Stack Manager requires Windows 10 version 21H2 (Build 19044) and higher or 64-bit Ubuntu 20.04 and is available on select Z workstations.

18 HP Wolf Security for Business requires Windows 10 or 11 Pro or higher, includes various HP security features and is available on HP Pro, Elite and Workstation products. See product details for included security features and OS requirement.

#### **Technical Specifications Footnotes**

<sup>1</sup> Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows is automatically updated and enabled. High speed internet and Microsoft account required. ISP fees may apply and additional requirements may apply over time for

updates. See http://www.windows.com .

<sup>2</sup> Windows 11 Pro for Workstations can be preinstalled. You may only use one version of the Windows software at a time. Switching Windows 11 Pto to Worksatoris Cari be preinstated. To find you're be releasing to the Persion of the Windows Soliwate at a time. Switching between versions will require you to uninstall one version and install the other version. You must back up all data (files, photos, etc.) before uninstalling and installing operating systems to avoid loss of your data.

3 Note: Windows 7 and Windows 8 operating systems are not supported on this product. No Windows 7 or Windows 8 drivers will be

3 Note: Windows 7 and Windows 8 operating systems are not supported on this product. No Windows 7 or Windows 8 provided on http://www.support.hp.com.
5 Note: For detailed Linux® OS/hardware support information, see: http://www.hp.com/support/linux\_hardware\_matrix 6 Multicore is designed to improve performance of certain software products. Not all customers or software applications benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.

<sup>7</sup> Intel vPro® requires Windows 10 Pro 64 bit or higher, a vPro supported processor, vPro enabled chipset, vPro enabled wired LAN and/or Wi-Fi 6E WLAN and TPM 2.0. Some functionality requires additional 3rd party software in order to run. Features of vPro® Essentials and Enterprise vary. See http://intel.com/vpro

For storage drives, GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 35GB (for Windows) is reserved for system recovery software.

<sup>9</sup> Duplication of copyrighted material is strictly prohibited. Actual speeds may vary. Double Layer media compatibility will widely vary with

some home DVD players and DVD-ROM drives. No support for DVD RAM.

some home DVD players and DVD-ROM drives. No support for DVD RAM.

10 With Blut-Ray, certain disc, digital connection, compatibility and/or performance issues may arise, and do not constitute defects in the product. Flawless playback on all systems is not guaranteed. In order for some Blu-ray titles to play, they may require a DVI or HDMI digital connection and your display may require HDCP support. HD-DVD movies cannot be played on this Desktop PC.

11 The 2TB memory configuration requires 1286B DIMMs which is planned to be available in the first half of 2023.

12 Wireless access point and Internet service required and sold separately. Availability of public wireless access points limited. Wi-Fi 6

(802.11ax) is backwards compatible with prior 802.11 specs.

Optional or add-on feature

Based on US EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. Status varies by country. Visit www.epeat.net for more

15 TCO Certified configurations available when ENERGY STAR configurations are selected with a USB Type-C® connector. ENERGY STAR available with a combination of high-performance CPU's, high-performance GPU's and select memory configurations.

<sup>16</sup> External power supplies, power cords, cables and peripherals are not low halogen. Service parts obtained after purchase may not be

from day one—and every day after. Learn more or download at: https://www8.hp.com/us/en/workstations/performance-advisor.html

HP Support Assistant requires Windows and Internet access. <sup>19</sup> HP Manageability Integration Kit can be downloaded from http://www8.hp.com/us/en/ads/clientmanagement/overview.html

Per since language in integration in a can be commonated in the printips. The language in the since the

The Source Recovers Germ's available of inserts for Each Privacy and Equipment (which is the state of the Source Recover to avoid loss of data.

23 HP Sure Sense requires Windows 11 Pro or Enterprise and supports Microsoft Internet Explorer, Google Chrome™, and Chromium™ Supported attachments include Microsoft Office (Word, Excel, PowerPoint) and PDF files in read only mode, when Microsoft Office or

HP Sure Run Gen5 is available on select HP PCs and requires Windows 10 and higher

25 HP Sure Admin requires Windows 10 or higher, HP BIOS, HP Manageability Integration Kit from

http://www.hp.com/go/clientmanagement and HP Sure Admin Local Access Authenticator smartphone app from the Android or Apple

Score.

Fig. 4. P Secure Erase for the methods outlined in the National Institute of Standards and Technology Special Publication 800-88

HP Secure crase for the methods outlined in the National institute of standards and it enrollogy Special Publication 300-98.

"I HP BIOSphere Gen6 features may vary depending on the platform and configurations.

"I HP BIOSphere Gen6 features may vary depending on the platform and configurations.

"I HP BIOSphere Gen6 features may vary depending on the platform and configurations.

"I HP BIOSphere Gen6 features for the Product purchased, includes a license with a term length communicated to you at punchase and in your order confirmation email. The HP Wolf Pro Security Edition software is incensed under the license terms of the HP Wolf Security Software - End-User license Agreement (EULA) that can be found at: https://support.hp.com/us-en/document/ish\_3875769-3873014-16 as that EULA is modified by the following: 7. Term. Unless otherwise terminated earlier pursuant to the terms contained in this EULA, the license for the HP Wolf Pro Security Edition is effective upon 4 terminated earlier pursuant to the terms contained in this EULA, the license for the HP Wolf Pro Security Edition is effective upon 4 months after the date the HP Product was shipped by HP and will continue for the term communicated to you a Irrachase and in your order confirmation email ("Initial Term"). At the end of the Initial Term you may either (a) purchase a renewal license for the HP Wolf Pro Security Edition from HP.com, HP Sales or an HP Channel Partner, or (b) continue using the standard versions of HP Sure Click and HP Sure Sense at no additional cost with no future software updates or HP Support. Notwithstanding the foregoing, the license shall expire no later than one year after the fixed term of the subject license ends.

30 Y = Supports Intel Speed Select Technology - Performance Profile 2.0 (Intel SST-PP) + = Feature plus SKUs denote support of built-in accelerators (QuickAssist, Dynamic Load Balancer, In-memory Analytics Accelerator) for workload optimized acceleration.

31 Eront IV. Offers Ratter Charging 1.2 through one of the LISS Tyme-A ports.

1 Front I/O offers Battery Charging 1.2 through one of the USB Type-A ports 32 Wi-Fi 6E requires a Wi-Fi 6E router, sold separately, to function in the 6GHz band, Availability of public wireless access points limited.

Wi-Fi GE requires a Wi-Fi GE router, sold separately, to function in the GGHz band. Availability of public wireless a
Wi-Fi GE is backwards compatible with prior 802.11 spees. And available in countries where Wi-Fi GE is supported.
 Percentage of ocean-bound plastic contained in each component varies by product.
 Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard.
 55 100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers.
 Fiber cushions made from 100% recycled wood fiber and organic materials.

37 HP Services Scan is provided with Windows Update on select products and will check entitlement on each hardware device to determine if an HP TechPulse-enabled service has been purchased, and will download applicable software automatically. HP TechPulse is a telemetry and analytics platform that provides critical data around devices and applications. For full system requirements or to disable this feature, please visit http://www.hpdaas.com/requirements . Not applicable in China. 39 The NVIDIA® Mellanox ConnectX-6 DX Dual Port 10/25GbE SFP28 NIC requires a transceiver in order to connect to a network.

Transceivers sold separately.

\*\*O Starting November 1, 2023, HP PCs with Windows require Windows to be installed on SSD. HDD can only be configured as additional data drives and not as the boot drive.

\*\*A variable late 2023.

#### Sign up for updates hp.com/go/getupdated

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Intel, Core are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries. AMD and Radeon are trademarks of Advanced Micro Devices, Inc. Bluetooth is a trademark owned by its proprietor and used by HP Inc. under license. NVIDIA is trademark and/or registered trademarks of NVIDIA Corporation in the U.S. and other countries. USB Type-0 is registered trademarks of USB Implementers Forum. ENERGY STAR is a registered trademark of the U.S. Environmental Protection Agency. All other trademarks are the property of their